

**Midville, Georgia:  
Dryland Later Maturity Cotton Variety Performance, 2008**

Variety	Lint Yield lb/acre	Lint %	Uniformity		Strength* g/tex	Micronaire* units
			Index*	Length* inches		
BCSX0727B2RF	<b>1610</b>	41.7	82.9	1.22	28.5	4.6
DP174RF	<b>1534</b>	44.8	82.9	1.21	29.5	4.6
DP 0935 B2RF	<b>1533</b>	43.2	83.6	1.17	28.4	4.6
PHY425RF	<b>1510</b>	39.8	84.6	1.21	30.4	4.8
PHY375WRF	<b>1489</b>	41.9	82.2	1.17	30.7	4.9
DP 164 B2RF	<b>1471</b>	37.7	83.9	1.23	34.1	4.2
GA2004137	<b>1429</b>	40.5	84.8	1.22	33.5	4.8
DP 555 BG/RR	<b>1427</b>	40.9	83.1	1.17	32.3	4.3
PHY480WR	<b>1424</b>	40.4	83.3	1.21	29.7	5.0
BCSX0102LLB2	<b>1418</b>	40.4	85.2	1.27	32.4	4.5
GA2004371	<b>1404</b>	42.9	84.8	1.20	32.9	4.6
PHY440W	1369	40.6	81.5	1.18	31.4	5.3
DP161B2RF	1351	37.5	83.0	1.22	32.3	4.6
BCSX0614B2RF	1334	37.2	84.6	1.24	33.6	4.2
GA2004392	1332	38.9	85.5	1.22	32.3	4.7
BCSX0721B2RF	1244	41.8	83.3	1.22	28.9	4.5
PHY485WRF	1231	39.4	84.0	1.21	31.3	5.0
GA2004358	1212	40.7	83.6	1.21	33.6	4.6
Average	1407	40.6	83.7	1.21	31.4	4.6
LSD 0.10	222	1.4	1.5	0.04	2.3	0.4
CV %	13.3	2.9	1.1	1.94	4.3	4.8

\* A random quality sample was taken on the picker during cotton harvest.

**Bolding** indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: First planting on May 1, 2008; due to strong wind and blowing sand damage after emergence, replanted on May 28, 2008.

Harvested: October 23, 2008.

Data as of 11/19/08.