

Plains, Georgia:
Later Maturity Cotton Variety Performance, 2008, Irrigated

Variety	Lint Yield lb/acre	Lint %	Uniformity		Strength* g/tex	Micronaire* units
			Index*	Length*		
			%	inches		
BCSX0721B2RF	1773	45.3	84.0	1.21	29.5	4.1
BCSX0727B2RF	1677	44.3	82.3	1.16	30.3	4.4
PHY485WRF	1584	42.8	83.5	1.20	30.9	4.3
DP174RF	1580	45.5	83.2	1.20	29.7	4.4
GA2004137	1559	45.1	83.5	1.22	33.2	4.7
BCSX0102LLB2	1552	40.3	83.7	1.26	34.4	4.5
DP 555 BG/RR	1551	42.9	81.8	1.17	32.9	4.2
PHY375WRF	1532	43.6	82.0	1.15	30.6	3.7
GA2004358	1526	43.4	82.7	1.19	31.9	4.6
GA2004392	1509	41.3	83.6	1.15	33.0	4.9
PHY440W	1482	41.8	82.4	1.15	30.9	4.3
PHY425RF	1449	41.0	84.6	1.18	31.3	4.6
PHY480WR	1442	42.0	83.5	1.20	32.6	4.3
DP161B2RF	1401	41.2	84.8	1.25	36.8	3.8
GA2004371	1372	43.8	83.8	1.21	31.9	4.7
BCSX0614B2RF	1370	38.8	83.3	1.21	32.8	4.1
DP 0935 B2RF	1327	42.9	81.8	1.16	30.4	4.1
DP 164 B2RF	1304	42.5	82.7	1.24	33.8	3.8
Average	1499	42.7	83.2	1.19	32.0	4.3
LSD 0.10	164	0.9	1.3	0.03	3.0	0.4
CV %	9.2	1.7	0.9	1.51	5.5	5.7

* A random quality sample was taken on the picker during cotton harvest.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: April 30, 2008.

Harvested: October 15, 2008.

Data as of 11/19/08.